(without VAT) (includes VAT)

M O O N

by SIMAUDIO

INTRODUCTION

Power Amplifiers

888



Available Finishes

Black 2-Tone Silver

Shipping weight: 300 lbs / 136 kg each

888W (1.2 HP) Monaural Power Amplifier

- State-of-the-art design, with cast heat sinks
- Zero-Global feedback
- Balanced (XLR) and single-ended (RCA) inputs
- 1776 W into 4 Ω
- DC + AC coupled (switchable)
- Will drive any speaker load
- Width: 22 in / 56 cm



861



Available Finishes

2-Tone

Shipping weight: 125 lbs / 57 kg

300W per channel Dual-Mono Reference Two-Channel Power Amplifier

- 2 x 300 W @ 8 Ω
- 2 x 600 W @ 4 Ω
- 1 x 800 W @ 8 Ω (mono configuration)
- MDCA (MOON Distortion-Cancelling Amplifier)
- MOONLink + 12 V Trigger
- DC/AC coupling
- Width: 19 in / 48 cm



761



200W per channel Dual-Mono Power Amplifier

- 2 x 200 W @ 8 Ω
- 2 x 400 W @ 4 Ω
- 1 x 600 W @ 8 Ω (mono configuration)
- MDCA (MOON Distortion-Cancelling Amplifier)
- MOONLink + 12 V Trigger
- DC/AC coupling
- Width: 19 in / 48 cm

Available Finishes

2-Tone

Shipping weight: 79 lbs / 36 kg



400M



400W Monaural Power Amplifier

- Zero-Global feedback
- DC-coupled
- Balanced (XLR) and single-ended (RCA) inputs
- Width: 17 in / 43 cm

Available Finishes

Black 2-Tone Silver

Shipping weight: 33 lbs / 15 kg



330A



120W per channel Stereo Balanced Power Amplifier

- Zero-Global feedback
- DC-Coupled
- Balanced (XLR) and single-ended (RCA) inputs
- 400 W monaural mode
- Width: 17 in / 43 cm

Available Finishes

Black 2-Tone Silver

Shipping weight: 32 lbs / 14.5 kg



Analog Preamplifiers

850P



State-of-the-Art Dual-Chassis Reference Balanced Preamplifier

- World-class sound purity & accuracy
- FRM-3 aluminum remote
- M-Octave Damping
- Advanced software management system
- for extreme flexibility
- Width: 19 in / 48 cm

Available Finishes

Black 2-Tone Silver

Shipping weight: 147 lbs / 67 kg



Network Player / Preamps

891



Available Finishes

2-Tone

Shipping weight: 54 lbs / 25 kg

State-of-the-Art Network Player / Preamp

- MDE-3 DAC Technology
- ROON Ready
- 6 Digital Inputs
- 1 HDMI with ARC
- 3 analog inputs (2 x RCA, 1 x XLR)
- Up to 32 bit / 384 kHz + DSD + MQA
- MDB (MOON Damping Base)
- M-RAY2 Volume Control
- MiND 2 Airplay 2
- MC/MM Phono Stage
- 5 in / 13 cm Graphic Colour Display
- BRM-1 Intelligent Remote Control
- MOONLink + 12 V Trigger
- Width: 19in / 48 cm



791



Available Finishes

2-Tone

Shipping weight: 41 lbs / 19 kg

MDE-2 DAC Technology

- MDE-2 DAC Technology
- ROON Ready
- 6 Digital Inputs
- 1 HDMI with ARC
- 3 analog inputs (2 x RCA, 1 x XLR)
- Up to 32 bit / 384 kHz + DSD + MQA
- M-VOL3 Volume Control
- MiND 2
- Airplay 2
- MC/MM Phono Stage
- 4.3 in / 11 cm Graphic Colour Display
- BRM-1 Intelligent Remote Control
- MOONLink + 12 V Trigger
- Width: 19 in / 48 cm



390



Network Player / Preamp

- Roon ready
- Up to 32 bit / 384 kHz + DSD + MQA
- MiND 2
- Airplay 2
- 4 HDMI inputs + HDMI ARC (optional)
- MC/MM phono stage
- Width: 17 in / 43 cm

Available Finishes

Black 2-Tone Silver

Shipping weight: 22 lbs / 10 kg



External Power Supply

820S



Available Finishes

Black 2-Tone Silver

Shipping weight: 40 lbs / 18 kg

Reference Outboard Power Supply

- Two outputs can power up to two components simultaneously
- Includes DC cables to power two units
- Can be used with one unit only if desired
- Will also power 681, 791, 891
- Width: 19 in / 48 cm



Integrated Amplifiers

641



Available Finishes

2-Tone

Shipping weight: 66 lbs / 31 kg

125W per channel Balanced two-channel Integrated Amplifier

- 2 x 125 W @ 8 Ω
- 2 x 250 W @ 4 Ω
- MDCA (MOON Distortion-Cancelling Amplifier)
- Dual-Mono
- M-VOL3 Volume Control
- BRM-1 Intelligent Remote Control
- 4.3 in / 11 cm Graphic Colour Display
- MOONLink + 12 V Trigger
- Width: 19 in / 48 cm



250i V2



Stereo Integrated Amplifier

- 50W per channel
- Six inputs
- Front-panel mini-jack input
- Headphone output
- MM phono stage
- CRM-3 remote control
- RS-232, SimlinkTM, IR
- Width: 17 in / 43 cm

Available Finishes

Black 2-Tone Silver

Shipping weight: 28 lbs / 13 kg



Network Player/Amps

371



Available Finishes

Black 2-Tone

Shipping weight: 20 lbs / 9 kg

Network Player / Amplifier

- Roon ready
- MiND 2
- Airplay, Qobuz Connect, Spotify Connect, TIDAL Connect
- Streams music services + local music libraries
- 100W per channel
- MM/MC phono stage
- Bluetooth
- CRM-4 remote control
- Width: 17 in / 43 cm



Loudspeakers

Voice 22



Available Finishes

● Black ○ White

Shipping weight: 23 lbs / 10.5 kg

Bookshelf-size 2-way loudspeaker

- 29mm (1”) soft dome tweeter with integrated waveguide
- 160mm (61/4”) mineral-filled polypropylene woofer
- 89dB/1w/1m efficiency
- Includes removeable Hover base
- Black or white piano gloss finish



Stand 22



Dedicated stands for Voice 22

- Made by Target Audio for MOON
- Flush fit under speaker
- Includes spikes and rubber feet
- Black sandtex finish
- Assembly required

Available Finishes

● Black

Shipping weight: 23 lbs / 10.5 kg



Network Player / DACs

681



Available Finishes

2-Tone

Shipping weight: 40 lbs / 18 kg

State-of-the-ArtNetworkPlayer / DAC

- MDE-1 DAC Technology
- ROON Ready
- 6 Digital Inputs
- 1 HDMI with ARC
- Up to 32 bit / 384 kHz + DSD + MQA
- MHV Volume Control
- MiND 2
- Airplay 2
- 4.3 in / 11 cm Graphic Colour Display
- BRM-1 Intelligent Remote Control
- MOONLink + 12 V Trigger
- Width: 19 in / 48 cm



CD Players

260D



Available Finishes

Black 2-Tone Silver

Shipping weight: 22 lbs / 10 kg

CDTransportwith32-bit/192kHz DAC

- MQA-CD compatible with external MQA DAC
- Balanced (XLR) and single-ended (RCA) outputs
- Three digital inputs: S/PDIFx2 and Optical
- AES/EBU, Optical, S/PDIF digital outputs
- M-Quattro gel isolation
- CRM-3 Remote control
- RS-232, SimlinkTM, IR
- Width: 17 in / 43 cm



260DT



Available Finishes

Black 2-Tone Silver

Shipping weight: 22 lbs / 10 kg

CD Transport

- MQA-CD compatible with external MQA DAC
- AES/EBU, Optical, S/PDIF digital outputs
- M-Quattro gel isolation
- CRM-3 Remote control
- RS-232, SimlinkTM, IR
- Width: 17 in / 43 cm



Phono Preamplifiers

810LP



Available Finishes

Black 2-Tone Silver

Shipping weight: 45 lbs / 20.5 kg

ReferenceBalancedMC/MM
Phono Preamplifier

- Balanced (XLR) and single ended (RCA) inputs, both types of outputs
- Up to 70dB of gain
- M-Octave Damping
- Adjustable gain, loading and capacitance
- Adjustable EQ curve
- Width: 19 in / 48 cm



610LP



Available Finishes

Black 2-Tone Silver

Shipping weight: 35 lbs / 16 kg

MC/MM Balanced Phono Preamplifier

- Both single-ended (RCA) and balanced (XLR) inputs and outputs
- Adjustable gain, loading and capacitance
- Adjustable EQ curve
- Trickle-down from 810LP
- Width: 19 in / 48 cm



310LP



MC/MM Balanced Phono Preamplifier

- Adjustable gain, loading and capacitance
- Adjustable EQ curve
- Up to 72dB of gain
- Both single-ended (RCA) and balanced (XLR) outputs
- Width: 7.5 in / 13 cm

Available Finishes

● Black

Shipping weight: 9 lbs / 4 kg



110LP v2




MC/MM Phono Preamplifier

- Adjustable gain, loading and capacitance
- Adjustable EQ curve
- Up to 66dB gain
- Single-ended (RCA) inputs + outputs
- Width: 5 in / 13 cm

Available Finishes

● Black

Shipping weight: 2 lbs / 0.9 kg



Accessories

XLR Mono Adaptor



XLR adaptor cable allows the following 2-channel amplifiers to be used as monoblocks: 330A, 760A, 860A and 870A.

- Will also work on most older models – ask us for details.
- Cable is approximatively 12" (30cm) long and
- connects to the user's existing balanced cable
- Now sold in pairs
- Shipping weight: 1 lb / 0.5 kg

RCA-DC-Filter



In-line filter which reduces and/or eliminates DC from the signal path, resulting in more efficient use of amplifier power & reliability

- Recommended only when amplifier shuts down due to DC detection from preamp or source
- Requires user to have one extra set of cables
- Shipping weight: 1 lb / 0.5kg

XLR-DC-Filter



In-line filter which reduces and/or eliminates DC from the signal path, resulting in more efficient use of amplifier power & reliability

- Recommended only when amplifier shuts down due to DC detection from preamp or source
- No additional cables are needed
- Shipping weight: 1 lb / 0.5kg

Flat Cones (Kit)



Chrome-finished flat bottom cones

- Fits all Evolution Series products including older Evolution models.
- These are the same flat cones that are supplied as a standard accessory with all Evolution Series products
- Shipping weight: 1 lb / 0.9 kg

North Collection Bridges



Set of four (4) unique triangular extension legs that 'bridge' components

- Aluminum with special elastomer pads to dampen vibration and prevent scratches
- Can only be used with North Collection models
- Available in silver only
- Shipping weight: 4 lbs / 1.8 kg

Standard Bridges



Set of four (4) unique triangular extension legs that 'bridge' components

- Aluminum with special elastomer pads to dampen vibration and prevent scratches
- Can only be used with certain 600-800 current and legacy models
- Available in silver or black
- Shipping weight: 4 lbs / 1.8 kg

FRM-3



Backlit System remote control

- Milled from solid aluminum
- Will operate all MOON IR-capable 2-channel models including most older ones.
- Use also as an upgrade for CRM, SRM, SRM-2,
- Celeste and RM-50
- Shipping weight: 2 lbs / 0.9 kg

CRM-3



System remote control

- System remote control
- Will operate all MOON IR-capable 2-channel components including many older models.
- Use also as substitute for CRM, CRM2, SRM,
- SRM2,Celeste and RM-50
- Shipping weight: 1 lb / 0.5 kg

BRM-1



BRM-1 Remote Control

- Rotating Knob
- Graphic OLED Display with Volume and Input Feedback
- Touch Control
- Bluetooth Wireless Communication
- Long-Lasting Rechargeable Li-ion Battery (Standard USB Charger)
- Will only work with 641, 681, 791, 891
- Shipping weight: 2 lbs / 0.9kg



CRM-4



CRM-4 Remote Control

- System remote control
- Infrared
- Automatic Presets
- Aluminium Case
- Shipping weight: 1 lb / 0.5 kg



(without VAT) (includes VAT)

MOON

by SIMAUDIO

www.simaudio.com