

phazeaudio

INTRODUCTION



PHAZE AUDIO: YOUR GATEWAY TO
A WORLD OF PERFECT SOUND



Diana mk2

The PHAZE AUDIO DIANA MK2 represents the perfect union of classic vinyl sound and modern features, including wireless Bluetooth connectivity and the ability to record records to a digital format via USB. Immerse yourself in the world of pure analog sound, now enhanced with modern technology.

A built-in phono preamp

for easy connection to speakers or an amplifier, eliminating the need for external devices.

Excellent Sound

The high-quality Audio-Technica AT3600L cartridge, included as standard, delivers excellent sound quality right out of the box.

Versatile Connectivity

Play music through your stereo, wireless Bluetooth speakers, or digitize vinyl records to your computer.

Impeccable Playback

A belt-drive system and a DC servo motor ensure stable rotation and minimal distortion.

Ease of Use

Featuring intuitive controls, a tonearm with hydraulic lift, and an anti-skating system.

Rotation Speed

Easily switch between 33 and 45 RPM.



SEPAN SEEBERG LAURAS ANSİKTE

Autumn leaves

GIVENCHY

GIVENCHY

GIVENCHY

P-1008

phaze audio



Technical Specifications

TURNTABLE

Drive Type	DC Servo Motor
Drive System	Belt Drive
Speeds	Off / 33 RPM / 45 RPM
RCA Output	500 mV ±50 mV

BLUETOOTH

Bluetooth Version	V5.3
Frequency Range	2.402 GHz - 2.480 GHz
Bluetooth Support	HFP, A2DP, AVRCP Profiles
Operating Distance	10 m
Max. RF Power	<5 dBm

USB

Type	USB Type B Connector
Standard	USB 2.0 Full Speed

CARTRIDGE

Model	AT3600L
Cartridge Type	MM (Moving Magnet)

GENERAL

Power Requirements	AC 230V~50Hz
Power Adapter	DC 9V, 1000 mA
Power Consumption	9W
Dimensions (W x D x H)	420 × 344 × 119 mm



Adelle

The ADELLE vinyl turntable comes with built-in active speakers – all you need to start enjoying your vinyl records right here, right now. Simply play a record – we've taken care of the rest.

Switchable Phono Stage

Want to upgrade your sound? Simply switch off the built-in phono stage to connect Adelle to a high-end external amplifier and unlock unparalleled audio fidelity.

External Power Adapter

Isolates noise and minimizes electrical interference for a cleaner, more precise sound.

Dust Cover

Crafted from premium acrylic, it offers stylish protection for your turntable.

Spring-Loaded Suspension System

Isolates the turntable from speaker vibrations for pure, accurate sound reproduction.

Audio-Technica Cartridge

A proven Japanese-made cartridge that delivers the highest sound quality in its price range.

Ready to Play Right Out of The Box

The package includes a setup gauge and a non-magnetic ceramic screwdriver for quick, precise and hassle-free setup.



AudioVideo
www.hifi.nl





Technical Specifications

TURNTABLE

Rotation speed	33 ⅓ and 45 RPM
Amplifier/speaker power	2 × 12 W
Dimensions (WxDxH)	420 × 344 × 210 mm
Net weight	10.2 kg

CARTRIDGE

Model	Audio-Technica AT3600L
Frequency range	20 Hz - 20 kHz
Channel separation	20/15 dB (at 1 kHz / 10 kHz)
Channel balance	Within 1.5 dB
Output voltage	4.2 mV (1 kHz, 5 cm/sec)
Recommended load impedance	47 kΩ
Cartridge type	MM (Moving Magnet)
Recommended tracking force	2.5 ± 0.5 g
Weight	5.1 g

phazeaudio

www.phazeaudio.com